
Harrison Silverdale Ltd Unit 1 Traso Business Park, Callywhite Lane, Dronfield, Sheffield, S18 2XR

Tel: 01246 296 930 • Fax: 01246 296 940 Email: fasteners@harrisonsilverdale.co.uk Internet: http://www.harrisonsilverdale.co.uk





Compression Rings

Part No.	Hub Diam.	Dim. A	Dim. B	Dim. T
1794	6.4	5.94	4.0	0.46
0842	6.4	6.2	4.1	0.36
1921	7.2	6.6	6.3	0.51
1939	8.0	7.37	6.3	0.61
1876	8.0	7.62	6.3	0.38
2246	8.0	7.67	6.3	0.46
2045	8.79	8.08	6.3	0.35
1963	8.8	7.8	6.3	0.46
2186	9.58	8.97	4.1	0.71
1609	9.58	9.14	6.3	0.61
1730	9.58	9.14	6.3	0.71
1853	10.3	9.7	6.3	0.61
1828	11.1	10.59	7.9	0.81
1828A	11.1	10.59	6.0	0.81
1937	12.78	11.73	6.3	0.61
2125	14.27	12.7	6.3	0.61

Compression Rings are designed to create a compressive force on the hub of moulded fans or knobs to aid retention onto the shaft. They are available in a range of sizes to suit your application.Material: Spring Steel Finish: Oiled or Trivalent Zinc

All information is given for guidance only and designers should satisfy themselves as to the suitability of the specification by requesting samples