
Tel: 01246 296 930 • Fax: 01246 296 940 Email: fasteners@harrisonsilverdale.co.uk Internet: http://www.harrisonsilverdale.co.uk





Mini Rivet Bushes

Part No.	Thread M	Hole Size+0.5-0	O/D E +/- 0.13	Body T+/-0.13	Skirt C/+0-0.13
M25??RSH	M2.5	4.19	5.50	2.80	4.19
M3??RSH	M3	4.19	5.50	2.80	4.19
M35??RSH	M3.5	5.41	7.00	3.20	5.41
M4??RSH	M4	5.41	7.00	3.20	5.41
M5??RSH	M5	6.40	8.50	3.80	6.40
M6??RSH	M6	7.70	10.00	5.10	7.70
M8??RSH	M8	9.70	12.00	6.50	9.70

	Legend			
*	Usually Available from Stock			
**	Non-preferred (Possible Lead Times)			
***	Special Order Only			


	M2.5	M3	M3.5	M4	M5	M6	M8
SWG/MM							
8G/4.0	***	***	***	***	***	***	***
10G/3.0	***	**	**	**	**	**	*
12G/2.5	*	**	**	*	*	*	*
14G/2.0	*	*	**	*	*	*	*
16G/1.6	*	*	*	*	*	*	*
18G/1.2	*	*	*	*	*	*	**
20G/1.0	*	*	*	*	*	*	**
22G/0.8	*	*	***	*	***	***	***

Harrison Silverdale Ltd Unit 1 Traso Business Park, Callywhite Lane, Dronfield, Sheffield, S18 2XR

Tel: 01246 296 930 • Fax: 01246 296 940 Email: fasteners@harrisonsilverdale.co.uk Internet: http://www.harrisonsilverdale.co.uk



Continued from previous page...



Mini Rivet Bushes have the same features as the 30101 series standard parts but with a smaller body to allow them to be placed closer to the edge of the panel. They provide a strong female thread in sheet metal applications. The spigot is placed through a pre-punched hole and riveted on the reverse side, the serrations under the head provide excellent torque resistance. Variouse spigot lengths are available for different sheet thicknesses. Materials & Finishes:-Steel Solf Colour (Code 2)Steel Trivalent Zinc (Code 26)303 Stainless Steel (Code SS)

To Specify use Series Code/Part No/Gauge Size/Finish Code (eg 30102 M320RSH26)

Gauge sizes to suit material thickness

All information is given for guidance only and designers should satisfy themselves as to the suitability of the specification by requesting samples