




Series: 30260 Type: TPL



Large Flange Rivet Nuts


Part No.	Thread M	Panel Size S	Body Diam. D	Head Dim. E	Head Diam. TL	Length L	Hole size P
3 TPL 15	M3	0.5 - 1.5	5.0	0.8	8.0	8.6	5.1
3 TPL 25	M3	1.5 - 2.5	5.0	0.8	8.0	9.6	5.1
3 TPL 35	M3	2.5 - 3.5	5.0	0.8	8.0	10.6	5.1
4 TPL 15	M4	0.5 - 1.5	6.0	0.8	10.0	10.5	6.1
4 TPL 30	M4	1.5 - 3.0	6.0	0.8	10.0	11.3	6.1
4 TPL 40	M4	3.0 - 4.0	6.0	0.8	10.0	12.3	6.1
5 TPL 15	M5	0.5 - 1.5	7.0	1.0	11.0	11.7	7.1
5 TPL 30	M5	1.5 - 3.0	7.0	1.0	11.0	13.2	7.1
5 TPL 45	M5	3.0 - 4.5	7.0	1.0	11.0	14.7	7.1
6 TPL 20	M6	1.0 - 2.0	9.0	1.5	13.0	14.5	9.1
6 TPL 35	M6	2.0 - 3.5	9.0	1.5	13.0	16.0	9.1
6 TPL 50	M6	3.5 - 5.0	9.0	1.5	13.0	17.5	9.1
8 TPL 25	M8	1.0 - 2.5	11.0	1.5	16.0	16.3	11.1
8 TPL 40	M8	2.5 - 4.0	11.0	1.5	16.0	17.8	11.1
8 TPL 55	M8	4.0 - 5.5	11.0	1.5	16.0	10.3	11.1
10 TPL 40	M10	2.5 - 4.0	13.0	1.5	19.0	21.3	13.1
10 TPL 25	M10	1.0 - 2.5	13.0	1.5	19.0	19.8	13.1
10 TPL 55	M10	3.0 - 5.5	13.0	1.5	19.0	22.8	13.1
12 TPL 30	M12	1.5 - 3.0	16.0	2.0	23.0	24.9	16.1
12 TPL 45	M12	3.0 - 4.5	16.0	2.0	23.0	26.4	16.1
12 TPL 55	M12	4.5 - 6.0	16.0	2.0	23.0	27.9	16.1
14 TPL 30	M14	1.5 - 3.0	18.0	2.0	25.0	28.0	18.1
14 TPL 45	M14	3.0 - 4.5	18.0	2.0	25.0	29.5	18.1
14 TPL 60	M14	4.5 - 6.0	18.0	2.0	25.0	31.0	18.1
16 TPL 45	M16	3.0 - 4.5	21.0	2.5	28.0	32.0	21.1
16 TPL 60	M16	4.5 - 6.0	21.0	2.5	28.0	33.5	21.1
16 TPL 80	M16	6.0 - 8.0	21.0	2.5	28.0	35.5	21.1

These rivet nuts a high performance part for demanding applications. The TPL range have a

All information is given for guidance only and designers should satisfy themselves as to the suitability of the specification by requesting samples



Continued from previous page...



large flange head to provide a large load bearing surface. They are machined from bar rather than forged and have a ribbed wall for maximum torque resistance.

Material: Mild Steel or 303 Stainless Steel (code SS) Finish: Trivalent Zinc

All information is given for guidance only and designers should satisfy themselves as to the suitability of the specification by requesting samples