




Series: 30260 Type: TPL




Large Flange Rivet Nuts

Part No.	Thread M	Panel Size S	Body Diam. D	Head Dim. E	Head Diam. TL	Length L	Hole size P
3 TPL 15	M3	0.5 - 1.5	5.0	0.8	8.0	8.6	5.1
3 TPL 25	M3	1.5 - 2.5	5.0	0.8	8.0	9.6	5.1
3 TPL 35	M3	2.5 - 3.5	5.0	0.8	8.0	10.6	5.1
4 TPL 15	M4	0.5 - 1.5	6.0	0.8	10.0	10.5	6.1
4 TPL 30	M4	1.5 - 3.0	6.0	0.8	10.0	11.3	6.1
4 TPL 40	M4	3.0 - 4.0	6.0	0.8	10.0	12.3	6.1
5 TPL 15	M5	0.5 - 1.5	7.0	1.0	11.0	11.7	7.1
5 TPL 30	M5	1.5 - 3.0	7.0	1.0	11.0	13.2	7.1
5 TPL 45	M5	3.0 - 4.5	7.0	1.0	11.0	14.7	7.1
6 TPL 20	M6	1.0 - 2.0	9.0	1.5	13.0	14.5	9.1
6 TPL 35	M6	2.0 - 3.5	9.0	1.5	13.0	16.0	9.1
6 TPL 50	M6	3.5 - 5.0	9.0	1.5	13.0	17.5	9.1
8 TPL 25	M8	1.0 - 2.5	11.0	1.5	16.0	16.3	11.1
8 TPL 40	M8	2.5 - 4.0	11.0	1.5	16.0	17.8	11.1
8 TPL 55	M8	4.0 - 5.5	11.0	1.5	16.0	10.3	11.1
10 TPL 40	M10	2.5 - 4.0	13.0	1.5	19.0	21.3	13.1
10 TPL 25	M10	1.0 - 2.5	13.0	1.5	19.0	19.8	13.1
10 TPL 55	M10	3.0 - 5.5	13.0	1.5	19.0	22.8	13.1
12 TPL 30	M12	1.5 - 3.0	16.0	2.0	23.0	24.9	16.1
12 TPL 45	M12	3.0 - 4.5	16.0	2.0	23.0	26.4	16.1
12 TPL 55	M12	4.5 - 6.0	16.0	2.0	23.0	27.9	16.1
14 TPL 30	M14	1.5 - 3.0	18.0	2.0	25.0	28.0	18.1
14 TPL 45	M14	3.0 - 4.5	18.0	2.0	25.0	29.5	18.1
14 TPL 60	M14	4.5 - 6.0	18.0	2.0	25.0	31.0	18.1



Continued from previous page...



16 TPL 45	M16	3.0 - 4.5	21.0	2.5	28.0	32.0	21.1
16 TPL 60	M16	4.5 - 6.0	21.0	2.5	28.0	33.5	21.1
16 TPL 80	M16	6.0 - 8.0	21.0	2.5	28.0	35.5	21.1

These rivet nuts are a high performance part for demanding applications. The TPL range have a large flange head to provide a large load bearing surface. They are machined from bar rather than forged and have a ribbed wall for maximum torque resistance.

Material: Mild Steel or 303 Stainless Steel (code SS) Finish: Trivalent Zinc

All information is given for guidance only and designers should satisfy themselves as to the suitability of the specification by requesting samples